Tool Make & Model

Semitool Storm II

Tool Configuration / Specifications

Project	Storm Ⅱ
Machine size	1440*1550*2350mm
Shelf	8个
A batch of standard 1 time	8 sets（one cassette box, one basket cassette）
A batch of only washed flower basket（cassette）	24个
A batch takes time	30min
One day（Working hours 20h）	320 Sets/day
One day（Working hours 20h）	Or 960个Flower baskets/day

Browse our site at www.moov.co


The information contained in this data sheet is, to our knowledge, accurate. We do not warrant the completeness or accuracy of the information contained herein. Any offer by you to purchase the equipment described in this data sheet shall be subject to the terms and conditions of sale.

Tool Configuration / Specifications

No	Project	Specification
1	Compatibility	Compatible for 8 inches
2	The cleaning chamber holds the number of cassettes	≤8 sets/set
3	Pick and place the cassette mode	Open the door on both sides
4	Cleaning/drying chamber cleanliness	Comes with a first-level laminar flow hood
5	Maximum rotation speed	≤200 RPM
6	Direction of rotation	Counterclockwise and clockwise can be set
7	The maximum height of the device	2.4m
8	Except for statics devices	Disposition
9	Cleaning cycle	≤45min/min
10	Pure water heating function	Optional

The information contained in this data sheet is, to our knowledge, accurate. We do not warrant the completeness or accuracy of the information contained herein. Any offer by you to purchase the equipment described in this data sheet shall be subject to the terms and conditions of sale.

Tool Configuration / Specifications



Browse our site at www.moov.co

The information contained in this data sheet is, to our knowledge, accurate. We do not warrant the completeness or accuracy of the information contained herein. Any offer by you to purchase the equipment described in this data sheet shall be subject to the terms and conditions of sale.